BLANCHON `

PRO FILLER

Date: 12/09/2016 Page 1/8 Revision: N°10 (12/09/2016)

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: PRO FILLER

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Registered company name: BLANCHON.

Address: 50, 8ème rue.69800.SAINT PRIEST.FRANCE.

Telephone: 00.33.4.72.89.06.09. Fax: 00.33.4.72.89.06.02.

fds@blanchon.com http://www.blanchon.com/

1.4. Emergency telephone number: 00.33.1.45.42.59.59.

Association/Organisation: Orfila (INRS).

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

 $Additional\ labeling:$

EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND
2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Hazard statements:

Precautionary statements - General:

P102 Keep out of reach of children.

Precautionary statements - Prevention :

P271 Use only outdoors or in a well-ventilated area.

Precautionary statements - Disposal:

P501 Dispose of contents / container to an approved landfill.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Identification	(EC) 1272/2008	Note	%
CAS: 9004-34-6		[1]	2.5 <= x % < 10
EC: 232-674-9			
CELLULOSE			

BLANCHON

PRO FILLER

Date: 12/09/2016 Page 2/8 Revision: N°10 (12/09/2016)

CAS: 34590-94-8		[1]	1 <= x % < 2.5
EC: 252-104-2			
REACH: 01-2119450011-60			
DIPROPYLENE GLYCOL MONOMETHYL			
ETHER			
INDEX: 613-088-00-6	GHS05, GHS07, GHS09		0 <= x % < 1
CAS: 2634-33-5	Dgr		
EC: 220-120-9	Acute Tox. 4, H302		
	Skin Irrit. 2, H315		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Eye Dam. 1, H318		
	Skin Sens. 1, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
CAS: 55965-84-9	GHS06, GHS05, GHS09		0 <= x % < 1
	Dgr		
MIXTURE OF:	Acute Tox. 3, H301		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H311		
ONE AND	Skin Corr. 1B, H314		
2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)	Skin Sens. 1, H317		
, ,	Acute Tox. 3, H331		
	Aquatic Acute 1, H400		
	M Acute = 10		
	Aquatic Chronic 1, H410		
	M Chronic = 10		

Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

In the event of swallowing:

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)
- nitrogen oxide (NO)
- nitrogen dioxide (NO2)

5.3. Advice for firefighters

No data available.

PRO FILLER

Date : 12/09/2016 Page 3/8 Revision : N°10 (12/09/2016)

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention:

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- European Union (2009/161/EU, 2006/15/EC, 2000/39/EC, 98/24/EC)

CAS	VME-mg/m3:	VME-ppm:	VLE-mg/m3:	VLE-ppm:	Notes:
34590-94-8	308	50	=	-	Peau

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
9004-34-6	10 mg/m3				
34590-94-8	100 ppm	150 ppm		Skin	

- Germany - AGW (BAuA - TRGS 900, 21/06/2010) :

CAS	VME:	VME:	Excess	Notes
34590-94-8		50 ppm		1()
		310 mg/m3		

- France (INRS - ED984 :2012) :

Trance (II 1105	LD/04.2012).					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
9004-34-6	-	10	-	-	-	-
34590-94-8	50	308	-	-	*	84

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version: N°1 (12/09/2016)

BLANCHON

PRO FILLER

Date: 12/09/2016 Page 4/8

Revision: N°10 (12/09/2016)

- UK / WEL (Workplace exposure limits, EH40/2005, 2007) :

CAS		TWA:	STEL:	Ceiling:	Definition:	Criteria:
9004-34-	6	4 mg/m3				
34590-94	-	50 ppm 308 mg/m3			Sk	
		308 mg/m3				

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS: 34590-94-8)

Final use:Exposure method:

Workers.

Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 65 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 310 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 1.67 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 15 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.
DNEL: 37.2 mg of substance/m3

Predicted no effect concentration (PNEC):

DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS: 34590-94-8)

Environmental compartment: Soil. PNEC: 2.74 mg/kg

Environmental compartment: Fresh water. PNEC: 19 mg/l

Environmental compartment: Sea water. PNEC: 1.9 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 190 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 70.2 mg/kg

Environmental compartment: Marine sediment. PNEC: 7.02 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 4168 mg/l

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

 $Pictogram(s)\ indicating\ the\ obligation\ of\ wearing\ personal\ protective\ equipment\ (PPE):$



Use personal protective equipment that is clean and has been properly maintained.

BLANCHON

PRO FILLER

Date: 12/09/2016 Page 5/8

Revision: N°10 (12/09/2016)

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Recommended properties:

- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information:

Physical state: Fluid liquid.

Important health, safety and environmental information

pH: Not relevant. Boiling point/boiling range: 100 °C Flash point interval: Not relevant. Vapour pressure (50°C): Not relevant. Density: = 1Dilutable. Water solubility: Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

V.O.C. : <= 35 g/l.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

10.5. Incompatible materials

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)
- nitrogen oxide (NO)
- nitrogen dioxide (NO2)

 $[\]hbox{- Made under licence of European Label System} \hbox{- MSDS software from InfoDyne } \hbox{- http://www.infodyne.fr} \hbox{--}$

Version: N°1 (12/09/2016)

BLANCHON

PRO FILLER

Date: 12/09/2016 Page 6/8

Revision: N°10 (12/09/2016)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No data available.

11.1.1. Substances

Acute toxicity:

MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1) (CAS: 55965-84-9)

Oral route : LD50 = 1096 mg/kg

Species: Rat

 $\hbox{DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS: $34590-94-8)}$

Oral route : LD50 = 5000 mg/kg

Species: Rat

Dermal route : LD50 = 9510 mg/kg

Species : Rabbit

Inhalation route (Gas): LC50 335

11.1.2. Mixture

Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1) (CAS: 55965-84-9)

Fish toxicity : $LC50 = 0.20 \ mg/l$

Factor M = 1

Duration of exposure: 96 h

Crustacean toxicity: EC50 = 0.16 mg/l

Factor M = 1

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 = 0.018 mg/l

Factor M = 10

Duration of exposure: 72 h

DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS: 34590-94-8)

Fish toxicity: LC50 = 10000 mg/l

Duration of exposure : 96 h

Duration of exposure: 21 days

Crustacean toxicity: EC50 = 1919 mg/l

Species : Daphnia magna Duration of exposure : 48 h

NOEC = 0.5 mg/l Species : Daphnia magna Duration of exposure : 21 days

Algae toxicity: ECr50 = 6999 mg/l

Species : Scenedesmus subspicatus Duration of exposure : 72 h SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version: N°1 (12/09/2016)

BLANCHON

PRO FILLER

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1) (CAS: 55965-84-9)

Biodegradability:

no degradability data is available, the substance is considered as not degrading

Date: 12/09/2016 Page 7/8

Revision: N°10 (12/09/2016)

quickly.

DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS: 34590-94-8) Biodegradability: Rapidly degradable.

12.3. Bioaccumulative potential

12.3.1. Substances

DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS: 34590-94-8) Octanol/water partition coefficient: log Koe = 1.01

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

BLANCHON

PRO FILLER

Date: 12/09/2016 Page 8/8 Revision: N°10 (12/09/2016)

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 1297/2014.

- Container information:

No data available.

- Particular provisions :

No data available.

- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704)

NFPA 704, Labelling: Health=0 Inflammability=1 Instability/Reactivity=1 Specific Risk=none



15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations:

 $\label{eq:decomposition} DNEL: Derived\ No-Effect\ Level$

PNEC: Predicted No-Effect Concentration

 $ADR: European \ agreement \ concerning \ the \ international \ carriage \ of \ dangerous \ goods \ by \ Road.$

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.