

SAFETY DATA SHEET

# HP SPORT LINEMARKING

SECTION 1: Identification of the substance/mixture and of the company/undertaking

```
1.1. Product identifier
```

Trade name

HP SPORT LINEMARKING

- 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Painting of wooden floors.
  - Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address **Junckers Industrier A/S** Vaerftsvej 4 4600 Koege Denmark Tel. +45 70 80 30 00 E-mail productsafety@junckers.dk Revision 29/06/2023 **SDS Version** 1.0 Date of previous version 28/04/2023 (1.0) 1.4. Emergency telephone number The National Poisons Information Centre (NPIC) Public: +353 (0) 1 809 2166 (7 days a week, 8am- 10pm) Healthcare professionals: +353 (0) 1 809 2566 (24 h service) See also section 4 "First aid measures"

SECTION 2: Hazards identification

```
Classified according to Regulation (EC) No. 1272/2008 (CLP).

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP).

2.2. Label elements

Hazard pictogram(s)

Not applicable.

Signal word

Not applicable.

Hazard statement(s)

Not applicable.

Precautionary statement(s)

General

-

Prevention

-

Response

-

Storage
```



# Disposal

# Hazardous substances

# None known.

#### Additional labelling

EUH208, Contains 1,2-Benzisothiazol-3(2H)-one (BIT), 5-Chloro-2-methyl-2H-isothiazol-3-one/2-Methyl-2H-isothiazol-3-one (3:1) (CMIT/MIT (3:1)), 2-Methyl-2H-isothiazol-3-one (MIT). May produce an allergic reaction. EUH210, Safety data sheet available on request.

#### VOC

#### VOC content: ≤ 70 g/L

MAXIMUM VOC CONTENT (Phase II, category A/i (WB): 140 g/L) VOC content for product mixed with hardener:  $\leq$  110 g/L MAXIMUM VOC CONTENT (Phase II, category A/j (WB): 140 g/L)

# 2.3. Other hazards

#### Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable. This product is a mixture.

#### 3.2. ▼ Mixtures

Identifiers	% w/w	Classification	Note
CAS No.: 112-34-5 EC No.: 203-961-6 REACH: 01-2119475104-44 Index No.: 603-096-00-8	3-5%	Eye Irrit. 2, H319	[1], [3]
CAS No.: 99734-09-5 EC No.: 619-457-8 REACH: Index No.:	0-2%	Aquatic Chronic 3, H412	
CAS No.: 108-01-0 EC No.: 203-542-8 REACH: 01-2119492298-24 Index No.: 603-047-00-0	<1%	Flam. Liq. 3, H226 Acute Tox. 4, H302 (ATE: 1187.00 mg/kg) Acute Tox. 4, H312 (ATE: 1219.00 mg/kg) Skin Corr. 1B, H314 Eye Dam. 1, H318 Acute Tox. 3, H331 (ATE: 6.00 mg/L) STOT SE 3, H335 (SCL: 5.00 %)	
CAS No.: 2634-33-5 EC No.: 220-120-9 REACH: 01-2120761540-60 Index No.: 613-088-00-6	<0,03%	Acute Tox. 4, H302 (ATE: 490.00 mg/kg) Skin Irrit. 2, H315 Skin Sens. 1, H317 (SCL: 0.05 %) Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411	
CAS No.: 2682-20-4 EC No.: 220-239-6 REACH: 01-2120764690-50 Index No.:	<0,0015%	EUH071 Acute Tox. 3, H301 (ATE: 120.00 mg/kg) Acute Tox. 3, H311 (ATE: 242.00 mg/kg) Skin Corr. 1B, H314 Skin Sens. 1A, H317 (SCL: 0.0015 %) Eye Dam. 1, H318 Acute Tox. 2, H330 (ATE: 0.11 mg/L) Aquatic Acute 1, H400 (M=10)	
	CAS No.: 112-34-5 EC No.: 203-961-6 REACH: 01-2119475104-44 Index No.: 603-096-00-8 CAS No.: 99734-09-5 EC No.: 619-457-8 REACH: Index No.: CAS No.: 108-01-0 EC No.: 203-542-8 REACH: 01-2119492298-24 Index No.: 603-047-00-0 CAS No.: 2634-33-5 EC No.: 220-120-9 REACH: 01-2120761540-60 Index No.: 613-088-00-6 CAS No.: 2682-20-4 EC No.: 220-239-6 REACH: 01-2120764690-50	CAS No.: 112-34-5       3-5%         EC No.: 203-961-6       3-5%         REACH: 01-2119475104-44          Index No.: 603-096-00-8       0-2%         CAS No.: 99734-09-5       0-2%         EC No.: 619-457-8       8-5%         REACH:          Index No.:       0-2%         CAS No.: 108-01-0       <1%	CAS No.: 112-34-5       3-5%       Eye Irrit. 2, H319         CAS No.: 102-39-61-6       3-5%       Eye Irrit. 2, H319         EC No.: 203-961-6       REACH: 01-2119475104-44       Index No.: 603-096-00-8       Aquatic Chronic 3, H412         CAS No.: 99734-09-5       0-2%       Aquatic Chronic 3, H412         EC No.: 619-457-8       REACH:       Index No.:         CAS No.: 108-01-0       <1%



			Aquatic Chronic 1, H410 (M=1)
5-Chloro-2-methyl-2H- isothiazol-3-one/2-Methyl-2H- isothiazol-3-one (3:1) (CMIT/MIT (3:1))	CAS No.: 55965-84-9 EC No.: 911-418-6 REACH: 01-2120764691-48 Index No.: 613-167-00-5	<0,0015%	EUH071 Acute Tox. 3, H301 (ATE: 64.00 mg/kg) Acute Tox. 2, H310 (ATE: 87.00 mg/kg) Skin Corr. 1C, H314 (SCL: 0.60 %) Skin Irrit. 2, H315 (SCL: 0.06 %) Skin Sens. 1A, H317 (SCL: 0.0015 %) Eye Dam. 1, H318 (SCL: 0.60 %) Eye Irrit. 2, H319 (SCL: 0.06 %) Acute Tox. 2, H330 (ATE: 0.17 mg/L) Aquatic Acute 1, H400 (M=100)
			Aquatic Chronic 1, H410 (M=100)

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[1] European occupational exposure limit.

[3] According to REACH, Annex XVII, the substance is subject to restrictions.

## SECTION 4: First aid measures

#### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

# ▼ Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

#### Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

# Burns

Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

None known.

#### Information to medics

Bring this safety data sheet or the label from this product.

**SECTION 5: Firefighting measures** 

#### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.



#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Halogenated compounds Nitrogen oxides (NO<sub>x</sub>)

Carbon oxides (CO / CO2)

# 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the National Poisons Information Centre (NPIC) on +353 (0) 1 809 256 (24 h service) in order to obtain further advice. Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

# 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Use sand, sawdust, soil, vermiculite or similar to collect liquid material. Subsequently, place in a suitable waste container.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

# 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

# SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

> 5 °C

#### Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

2-(2-Butoxyethoxy)ethanol Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 67.5 Long term exposure limit (8 hours) (ppm): 10 Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 101.2 Short term exposure limit (15 minutes) (ppm): 15 Annotations:

IOELV = Indicative Occupational Exposure Limit Values are health based limits set under the Chemical Agents Directive (98/24/EC).

2021 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019).

▼ DNEL



1,2-Benzisothiazol-3(2H)-one (BIT)		
Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	0,345 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	0,966 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1,2 mg/m³
Long term – Systemic effects - Workers	Inhalation	6,81 mg/m³
2-(2-Butoxyethoxy)ethanol		
Duration:	Route of exposure:	DNEL:
Long term – Local effects - Workers	Inhalation	67,5 mg/m³
Short term – Local effects - Workers	Inhalation	101,2 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	6,25 mg/kg bw/day
2-Dimethylaminoethanol		
Duration:	Route of exposure:	DNEL:
Long term – Local effects - Workers	Dermal	100 µg/cm²
Long term – Systemic effects - Workers	Dermal	0,25 mg/kg bw/day
Short term – Systemic effects - Workers	Dermal	1,2 mg/kg bw/day
Long term – Local effects - Workers	Inhalation	1,76 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Inhalation	0,438 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	1,76 mg/m <sup>3</sup>
Short term – Local effects - Workers	Inhalation	13,53 mg/m <sup>3</sup>
Short term – Systemic effects - Workers	Inhalation	5,28 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	0,148 mg/kg bw/day
2-Methyl-2H-isothiazol-3-one (MIT)		
Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	0,021 mg/m <sup>3</sup>
Long term – Local effects - Workers	Inhalation	0,021 mg/m <sup>3</sup>
Short term – Local effects - General population	Inhalation	0,043 mg/m <sup>3</sup>
Short term – Local effects - Workers	Inhalation	0,043 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	0,027 mg/kg bw/day
Short term – Systemic effects - General population	Oral	0,053 mg/kg bw/day
5-Chloro-2-methyl-2H-isothiazol-3-one/2-Methyl-2H-isothia	azol-3-one (3·1) (CMIT/MIT (3·1))	
Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	0,02 mg/m³
Long term – Local effects - Workers	Inhalation	0,02 mg/m <sup>3</sup>
Short term – Local effects - General population	Inhalation	0,04 mg/m <sup>3</sup>
Short term – Local effects - Workers	Inhalation	0,04 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	0,09 mg/kg bw/day
Long term bysterme encets deneral population		

PNEC 1,2-Benzisothiazol-3(2H)-one (BIT)		
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		4,03 µg/l
Freshwater sediment		49,9 µg/kg dw
Intermittent release (freshwater)		1,1 μg/l



Intermittent release (marine water)		0,11 µg/l
Marine water		0,403 µg/l
Marine water sediment		4,99 µg/kg dw
Sewage treatment plant		1,03 mg/l
Soil		3 mg/kg dw
2-(2-Butoxyethoxy)ethanol		
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		1,1 mg/l
Freshwater sediment		4,4 mg/kg dw
Intermittent release (freshwater)		11 mg/l
Marine water		0,11 mg/l
Marine water sediment		0,44 mg/kg dw
Predators		56 mg/kg
Soil		0,32 mg/kg dw
2-Dimethylaminoethanol		
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0,066 mg/l
Freshwater sediment		0,246 mg/kg dw
Intermittent release (freshwater)		0,661 mg/l
Marine water		0,004 mg/l
Marine water sediment		0,015 mg/kg dw
Sewage treatment plant		10 mg/l
Soil		0,01 mg/kg dw
2-Methyl-2H-isothiazol-3-one (MIT)		
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		3,39 µg/l
Intermittent release (freshwater)		3,39 µg/l
Intermittent release (marine water)		3,39 µg/l
Marine water		3,39 µg/l
Sewage treatment plant		0,23 mg/l
Soil		0,047 mg/kg dw
5-Chloro-2-methyl-2H-isothiazol-3-one/2-Methyl-2H-iso	othiazol-3-one (3:1) (CMIT/MIT (3:1))	
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater	-	3,39 µg/l
Freshwater sediment		0,027 mg/kg dw
Intermittent release (freshwater)		3,39 µg/l
Intermittent release (marine water)		3,39 µg/l
Marine water		3,39 µg/l
Marine water sediment		0,027 mg/kg dw
Sewage treatment plant		0,23 mg/l
Soil		0,01 mg/kg dw

# 8.2. ▼ Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

# General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.



#### **Exposure scenarios**

There are no exposure scenarios implemented for this product.

#### **Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

#### ▼ Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

#### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

# Measures to avoid environmental exposure

#### No specific requirements.

#### Individual protection measures, such as personal protective equipment

#### Generally

Use only CE marked protective equipment.

#### Respiratory Equipment

Work situation	Туре	Class	Colour	Standards	
In case of insufficient ventilation	Gas filter A	2 (medium capacity)	Brown	EN14387	

#### Skin protection

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn	-	-	R

#### Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0,4	> 480	EN374-2, EN374-3, EN388	

#### Eye protection

Туре	Standards
Safety glasses with side shields	EN166

# SECTION 9: Physical and chemical properties

```
9.1. Information on basic physical and chemical properties
Physical state
Liquid
Colour
Various colours
Odour / Odour threshold
```

Faint pH 8-9 ▼ Density (g/cm<sup>3</sup>) 1,04-1,24

Kinematic viscosity



Testing not relevant or not possible due to the nature of the product. Particle characteristics Does not apply to liquids.
Phase changes
Melting point/Freezing point (°C) Testing not relevant or not possible due to the nature of the product.
Softening point/range (waxes and pastes) (°C) Does not apply to liquids.
Boiling point (°C) Testing not relevant or not possible due to the nature of the product.
Vapour pressure Testing not relevant or not possible due to the nature of the product.
Relative vapour density Testing not relevant or not possible due to the nature of the product.
Decomposition temperature (°C) Testing not relevant or not possible due to the nature of the product.
Data on fire and explosion hazards
Flash point (°C) Testing not relevant or not possible due to the nature of the product.
Flammability (°C) Testing not relevant or not possible due to the nature of the product.
Auto-ignition temperature (°C) Testing not relevant or not possible due to the nature of the product.
Lower and upper explosion limit (% v/v) Testing not relevant or not possible due to the nature of the product.
Solubility
Solubility in water Soluble
n-octanol/water coefficient Testing not relevant or not possible due to the nature of the product.
Solubility in fat (g/L) Testing not relevant or not possible due to the nature of the product.
9.2. Other information VOC (g/L)
≤ 70 Mixed with hardener:
≤ 110 Other physical and chemical parameters
No data available. Oxidizing properties
Testing not relevant or not possible due to the nature of the product.
SECTION 10: Stability and reactivity
10.1. Reactivity No data available.
10.2. Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage".
10.3. Possibility of hazardous reactions None known.
10.4. Conditions to avoid None known.
10.5. Incompatible materials
Strong acids, strong bases, strong oxidizing agents, and strong reducing agents. 10.6. Hazardous decomposition products

10.6. Hazardous decomposition products The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information



11.1. Information on ha	azard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity	
Product/substance	2-Dimethylaminoethanol
Test method:	OECD 401
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	1187 mg/kg
Product/substance	2-Dimethylaminoethanol
Test method:	OECD 402
Species:	Rabbit
-	

Route of exposure:	Dermal
Test:	LD50
Result:	1219 mg/kg
Product/substance	2-Dimethylaminoethanol
Test method:	OECD 403
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	6 mg/l
Product/substance	1,2-Benzisothiazol-3(2H)-one (BIT)
Test method:	OECD 401
Species:	Rat, Wistar, male/female
Route of exposure:	Oral
Test:	LD50
Result:	490 mg/kg
Product/substance	2-Methyl-2H-isothiazol-3-one (MIT)
Species:	Rat, male/female
Route of exposure:	Oral
Test:	LD50
Result:	120 mg/kg
Product/substance	2-Methyl-2H-isothiazol-3-one (MIT)
Test method:	OECD 402
Species:	Rat, male/female
Route of exposure:	Dermal
Test:	LD50
Result:	242 mg/kg
Product/substance	2-Methyl-2H-isothiazol-3-one (MIT)
Test method:	OECD 403
Species:	Rabbit, male/female
Route of exposure:	Inhalation
Test:	LC50
Result:	0,11 mg/l
Product/substance	5-Chloro-2-methyl-2H-isothiazol-3-one/2-Methyl-2H-isothiazol-3-one (3:1) (CMIT/MIT (3:1))
Species:	Rat, Charles River CD, male
Route of exposure:	Oral
Test:	LD50
Result:	64 mg/kg
Product/substance	5-Chloro-2-methyl-2H-isothiazol-3-one/2-Methyl-2H-isothiazol-3-one (3:1) (CMIT/MIT (3:1))
Species:	Rabbit, Albino, male
Route of exposure:	Dermal
Test:	LD50
Result:	87 mg/kg
Product/substance	5-Chloro-2-methyl-2H-isothiazol-3-one/2-Methyl-2H-isothiazol-3-one (3:1) (CMIT/MIT (3:1))
Test method:	OECD 403
Species:	Rat, Sprague-Dawley, male/female



Route of exposure:	Inhalation
Test:	LC50
Result:	0,17 mg/l
Skin corrosion/irritation	
Based on available da	ata, the classification criteria are not met.
Serious eye damage/irri	
Based on available da	ata, the classification criteria are not met.
Respiratory sensitisation	n
Based on available da	ata, the classification criteria are not met.
Skin sensitisation	
•	s substances that may trigger an allergic reaction in already sensitized persons.
Germ cell mutagenicity	
	ata, the classification criteria are not met.
Carcinogenicity	
	ata, the classification criteria are not met.
Reproductive toxicity	
	ata, the classification criteria are not met.
STOT-single exposure	ate the classification evitavia and mat
	ata, the classification criteria are not met.
STOT-repeated exposure	e ata, the classification criteria are not met.
Aspiration hazard	ata, the classification criteria are not met.
11.2. Information on oth	
Long term effects	
None known.	
Endocrine disrupting pr	operties
Not applicable.	operties
Other information	
None known.	

SECTION 12: Ecological information

# 12.1. Toxicity

Product/substance Test method: Species: Duration: Test: Result:	1,2-Benzisothiazol-3(2H)-one (BIT) OECD 201 Selenastrum capricornutum 72 hours ErC50 0,11 mg/l	
Product/substance Species: Duration: Test: Result:	1,2-Benzisothiazol-3(2H)-one (BIT) Selenastrum capricornutum 72 hours NOErC 0,0403 mg/l	
Product/substance Species: Duration: Test: Result:	2-Methyl-2H-isothiazol-3-one (MIT) Skeletonema costatum 72 hours EC50 0,072 mg/l	
Product/substance Species: Duration: Test: Result:	2-Methyl-2H-isothiazol-3-one (MIT) Selenastrum capricornutum 72 hours NOEC 0,05 mg/l ·	
2.2. ▼ Persistence and Product/substance Biodegradable:	degradability 2-(2-Butoxyethoxy)ethanol Yes	



Test r Resul	method: lt:	OECD 301 C 95 %
Biode	uct/substance egradable: method: lt:	2-Dimethylaminoethanol Yes OECD 301 C > 60 %
Biode	uct/substance egradable: method: lt:	2-Methyl-2H-isothiazol-3-one (MIT) No OECD 301 B 50 %
Biode	uct/substance egradable: method: lt:	5-Chloro-2-methyl-2H-isothiazol-3-one/2-Methyl-2H-isothiazol-3-one (3:1) (CMIT/MIT (3:1)) Yes OECD 301 B 62 %
Produ Test r Poten LogPo BCF:	ioaccumulative pote uct/substance method: ntial bioaccumulation: ow: r information:	2-(2-Butoxyethoxy)ethanol
Test r Poten LogPo BCF:	uct/substance method: ntial bioaccumulation: 'ow: r information:	2-Dimethylaminoethanol No -0,55 3,162
Test r Poten LogPo BCF:	uct/substance method: ntial bioaccumulation: ow: r information:	1,2-Benzisothiazol-3(2H)-one (BIT) No 0,7 6,62
Test r Poten LogPo BCF:	uct/substance method: ntial bioaccumulation: 'ow: r information:	2-Methyl-2H-isothiazol-3-one (MIT) No -0,49 No data available.
Test r Poten LogPo BCF:	uct/substance method: ntial bioaccumulation: 'ow: •r information:	5-Chloro-2-methyl-2H-isothiazol-3-one/2-Methyl-2H-isothiazol-3-one (3:1) (CMIT/MIT (3:1)) No 0,75 No data available.
No da 12.5. Re This i vPvB 12.6. En Not a 12.7. Ot		es not contain any substances considered to meet the criteria classifying them as PBT and/or properties



SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

# EWC code

08 01 12 Waste paint and varnish other than those mentioned in 08 01 11

**Contaminated packing** 

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / II	14.2 D UN proper shipping na	14.3 me Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
ΙΑΤΑ	-	-	-	-	-	-
Not c 14.6. Sp Not a 14.7. Ma	nmental nal infori dangero pecial pre applicabl	mation us goods according to A ecautions for user le. ransport in bulk accordi	ADR, IATA and IMDG. ing to IMO instruments			
SECTIO	DN 15: Re	egulatory information				
15.1. Sa	fety, hea	alth and onvironmental	regulations/legislation specific for the subst	• •		

SECTION 16: Other information

# ▼ Full text of H-phrases as mentioned in section 3

EUH071, Corrosive to the respiratory tract. H226, Flammable liquid and vapour. H301, Toxic if swallowed. H302, Harmful if swallowed. H310, Fatal in contact with skin.



H311, Toxic in contact with skin.

- H312, Harmful in contact with skin.
- H314, Causes severe skin burns and eye damage.
- H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H330, Fatal if inhaled.

H331, Toxic if inhaled.

H335, May cause respiratory irritation.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

H411, Toxic to aquatic life with long lasting effects.

H412, Harmful to aquatic life with long lasting effects.

# Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH = CLP-specific hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of classification and labelling of chemicals

IARC = International Agency for Research on Cancer

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = Logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = Specific Concentration Limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time Weighted Average

UN = United Nations

UVCB = Substances of Unknown or Variable composition, Complex reaction products or Biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and very Bioaccumulative

Additional information

Not applicable.

▼ The safety data sheet is validated by

ULS Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.



Country-language: IE-en