

SAFETY DATA SHEET

FLOOR CLEANER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name FLOOR CLEANER Unique formula identifier (UFI) WG40-R04U-K00S-7K4T 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Cleaning of floors. Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address Junckers Industrier A/S Vaerftsvej 4 4600 Koege Denmark Tel. +45 70 80 30 00 E-mail productsafety@junckers.dk Revision 30/06/2023 SDS Version 1.0 1.4. Emergency telephone number The National Poisons Information Centre (NPIC) Public: +353 (0) 1 809 2166 (7 days a week, 8am- 10pm) Healthcare professionals: +353 (0) 1 809 2566 (24 h service) See also section 4 "First aid measures" SECTION 2: Hazards identification Classified according to Regulation (EC) No. 1272/2008 (CLP). 2.1. Classification of the substance or mixture Eye Irrit. 2; H319, Causes serious eye irritation. 2.2. Label elements Hazard pictogram(s) Signal word Warning Hazard statement(s) Causes serious eye irritation. (H319) Precautionary statement(s)

General

If medical advice is needed, have product container or label at hand. (P101) Keep out of reach of children. (P102) Prevention

Wear eye protection/protective gloves. (P280)



Wash hands thoroughly after handling. (P264)

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

If eye irritation persists: Get medical advice/attention. (P337+P313)

Storage

Disposal

Hazardous substances

None known.

Additional labelling

UFI: WG40-R04Ŭ-K00S-7K4T

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

2 2	B 81 4	
27	Mixtures	
J.Z.	IVIIALUIES	

Product/substance	Identifiers	% w/w	Classification	Note
2-Propyl-1-heptanol, ethoxylated	CAS No.: 160875-66-1 EC No.: 605-233-7 REACH: Index No.:	5-10%	Acute Tox. 4, H302 Eye Dam. 1, H318 (SCL: 10.00 %)	
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	CAS No.: 68585-34-2 EC No.: 500-223-8 REACH: Index No.:	1-3%	Skin Irrit. 2, H315 Eye Irrit. 2, H319	
Sulfonic acids, C14-17-sec- alkane, sodium salts	CAS No.: 97489-15-1 EC No.: 307-055-2 REACH: 01-2119489924-20 Index No.:	1-3%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 (SCL: 15.00 %) Aquatic Chronic 3, H412	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

Labelling of contents according to Detergents Regulation (EC) No 648/2004

- 5% 15%
- · Non-ionic surfactants
- < 5%
- · Anionic surfactants
- · Preservation agent (PHENOXYETHANOL)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.



Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

Eye contact

If in eyes: Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO_x) Carbon oxides (CO / CO2) Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the National Poisons Information Centre (NPIC) on +353 (0) 1 809 256 (24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- No specific requirements.
- 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Use sand, sawdust, soil, vermiculite or similar to collect liquid material. Subsequently, place in a suitable waste container.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.



See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage material

Always store in containers of the same material as the original container.

- Storage temperature
 - > 0 °C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the "List of Chemical Agents and Occupational Exposure Limit Values" with an occupational exposure limit.

DNEL

Sulfonic acids, C14-17-sec-alkane, sodium salts

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	2,8 mg/cm ²
Long term – Local effects - Workers	Dermal	2,8 mg/cm ²
Long term – Systemic effects - General population	Dermal	3,57 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	5 mg/kg bw/day
Short term – Local effects - General population	Dermal	2,8 mg/cm ²
Short term – Local effects - Workers	Dermal	2,8 mg/cm ²
Long term – Systemic effects - General population	Inhalation	12,4 mg/m³
Long term – Systemic effects - Workers	Inhalation	35 mg/m³
Long term – Systemic effects - General population	Oral	7,1 mg/kg bw/day

PNEC

Sulfonic acids, C14-17-sec-alkane, sodium salts

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0,06 mg/l
Freshwater sediment		9,4 mg/kg dw
Intermittent release (freshwater)		0,06 mg/l
Marine water		0,006 mg/l
Marine water sediment		0,94 mg/kg dw
Predators		53,3 mg/kg
Sewage treatment plant		600 mg/l
Soil		9,4 mg/kg dw

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed



	,0772000 (REACH), annex II, ii	iciduling changes implement	ted by EC-Regulation 2020/878	
	wash hands, forearms an	d face.		
Measures to avoid env No specific requirer				
Individual protection mea		rotective equipment		
Generally	l			
Use only CE marked Respiratory Equipment	l protective equipment.			
No specific requirer				
Skin protection				
No specific requirer Hand protection	ments.			
Material	Glove thickness (mm)	Breakthrough time	Standards	
		(min.)		
Nitrile	0,4	> 480	EN374-2, EN374-3, EN388	
Eye protection				
Work situation	Туре	Standards		
At risk of splashing	Safety glasses	EN166		
SECTION 9: Physical and	chemical properties			
9.1. Information on basic Physical state Liquid Colour				
Odour / Odour thresho Characteristic	t or not possible due to th old	le nature of the product.		
pH ≈ 10				
pH in solution				
≈ 8-8,5 (½-2 %)				
Density (g/cm³) 1,03				
Kinematic viscosity				
Testing not relevant Particle characteristics	t or not possible due to th	e nature of the product.		
Does not apply to li	quids.			
Phase changes				
Melting point/Freezing Testing not relevant	point (°C) t or not possible due to th	e nature of the product.		
Softening point/range	(waxes and pastes) (°C)			
Does not apply to live Poiling point (%C)	quids.			
Boiling point (°C) Testing not relevan	t or not possible due to th	e nature of the product.		
Vapour pressure	·			
Relative vapour density	t or not possible due to th v	le nature of the product.		
Testing not relevan	t or not possible due to th	e nature of the product.		
Decomposition temper Testing not relevant	^r ature (°C) t or not possible due to th	e nature of the product.		
Data on fire and explosion Flash point (°C)				
Flash pullit (C)				



According to EC-Regulation	1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878
-	ant or not possible due to the nature of the product.
Flammability (°C) Testing not releva	ant or not possible due to the nature of the product.
Auto-ignition temper Testing not releva	ature (°C) Int or not possible due to the nature of the product.
Lower and upper exp	blosion limit (% v/v)
Testing not releva Solubility	ant or not possible due to the nature of the product.
Solubility in water	
Completely solubl	
n-octanol/water coef	ficient Int or not possible due to the nature of the product.
Solubility in fat (q/L)	int of hot possible due to the nature of the product.
Testing not releva	int or not possible due to the nature of the product.
9.2. Other information	
Other physical and ch No data available.	
Oxidizing properties	
Testing not releva	ant or not possible due to the nature of the product.
SECTION 10: Stability a	nd reactivity
10.1. Reactivity	
No data available.	
10.2. Chemical stability The product is stable	under the conditions, noted in section 7 "Handling and storage".
10.3. Possibility of hazar	
None known.	
10.4. Conditions to avoid None known.	d
10.5. Incompatible mate	erials
	bases, strong oxidizing agents, and strong reducing agents.
10.6. Hazardous decom The product is not de	position products graded when used as specified in section 1.
SECTION 11: Toxicologi	ical information
11.1. Information on ba	zard classes as defined in Regulation (EC) No. 1272/2009
Acute toxicity	zard classes as defined in Regulation (EC) No 1272/2008
Product/substance	Sulfonic acids, C14-17-sec-alkane, sodium salts
Test method: Species:	OECD 401 Rat, Wistar, male/female
Route of exposure: Test:	Oral LD50
Result:	500-2000 mg/kg
Skin corrosion/irritation	
Based on available da Serious eye damage/irri	ata, the classification criteria are not met.
Causes serious eye ir	

Causes serious eye irritation.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met. Germ cell mutagenicity

Based on available data, the classification criteria are not met. Carcinogenicity

Based on available data, the classification criteria are not met. Reproductive toxicity

Based on available data, the classification criteria are not met.



STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure. Endocrine disrupting properties

Not applicable.

Other information

None known.

None known.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance	Sulfonic acids, C14-17-sec-alkane, sodium salts
Test method:	OECD 211
Species:	Daphnia magna
Duration:	21 days
Test:	NOEC
Result:	0,4 mg/l

12.2. Persistence and degradability

Sulfonic acids, C14-17-sec-alkane, sodium salts
Yes
OECD 301 B
78 %

12.3. Bioaccumulative potential

Product/substance Sulfonic acids, C14-17-sec-alkane, sodium salts

Test method:	
Potential bioaccumulation:	No
LogPow:	0,2
BCF:	1,4
Other information:	

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

- 12.6. Endocrine disrupting properties Not applicable.
- 12.7. Other adverse effects
 - None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste. Dispose of contents/container to an approved waste disposal plant. Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code 20 01 30

Detergents other than those mentioned in 20 01 29

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information



	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
ΙΑΤΑ	-	-	-	-	-	-
14.6. Spo Not a 14.7. Ma	nmental al inforn angerou ecial pre pplicable	nation is goods according to ADR, IATA and cautions for user e. ransport in bulk according to IMO in				
SECTIO	N 15: Re	gulatory information				
No Dema SEVES No Addit Th Re co re Sourc Re cla Re cla Re	o special ands for o specific 50 - Cate ot application ional info e surface gulation quest of egulation egulation essification egulation egulation egulation egulation	specific education : requirements. ·gories / dangerous substances	ata to support this assertion are he nd will be made available to them, Parliament and of the Council of 31 18 December 2014 on waste. Parliament and of the Council of 1 ances and mixtures (CLP). Parliament and of the Council of 1	ld at the d at their dir March 200 6 Decemb	isposal o ect requ 04 on de er 2008	of the uest or at the etergents. on
SECTIO	N 16: Ot	her information				
H302, H315, H318, H319, H412, Abbrevia ADN = ADR = ADR = CAS = CAS = CE = 0 CLP = CSA = CSR = DMEL	, Harmfu , Causes , Causes , Causes , Harmfu ations ar = Europe = The Europe = The Europe Acute T Bioconc Chemic Conform Classific Chemic = Derive	rases as mentioned in section 3 al if swallowed. skin irritation. serious eye damage. serious eye irritation. al to aquatic life with long lasting effo dacronyms ean Provisions concerning the Intern ropean Agreement concerning the Intern ropean Agreement concerning the Intern coxicity Estimate centration Factor al Abstracts Service ité Européenne cation, Labelling and Packaging Regu al Safety Assessment al Safety Report ed Minimal Effect Level ed No Effect Level	national Carriage of Dangerous Goo nternational Carriage of Dangerou:	s Goods by		erway



EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH = CLP-specific hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of classification and labelling of chemicals IARC = International Agency for Research on Cancer IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = Logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = Specific Concentration Limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time Weighted Average UN = United Nations UVCB = Substances of Unknown or Variable composition, Complex reaction products or Biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and very Bioaccumulative

Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The safety data sheet is validated by

ULS

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: IE-en