Revision: 25.08.2011

Material safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.08.2011

Version number 8

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: WAKOL MS 230 Parquet Adhesive, Elastic
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation Adhesives
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

WAKOL GmbH

Bottenbacher Str. 30

66954 Pirmasens

thomas.wieland@wakol.de

+49 (0)6331 8001 144

- · Informing department: Industrial Safety Department
- · Emergency telephone number:

During business hours: Industrial Safety Department; +49 (0) 6331 8001 144

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- · Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · Labelling according to EU guidelines:

The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EU" as issued in the latest valid version.

Observe the general safety regulations when handling chemicals.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Adhesive
- · Dangerous components: Void
- · Additional information For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Call a doctor immediately.

(Contd. on page 2)

Printing date 25.08.2011 Version number 8

Trade name: WAKOL MS 230 Parquet Adhesive, Elastic

(Contd. of page 1)

Revision: 25.08.2011

· Information for doctor

· Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- $\cdot \textit{Suitable extinguishing agents} \ \textit{Use fire extinguishing methods suitable to surrounding conditions}.$
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections See Section 7 for information on safe handling.

7 Handling and storage

- · Handling
- · Precautions for safe handling

Use only in well ventilated areas.

No special measures required.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Protect from humidity and water.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 3)

Printing date 25.08.2011 Version number 8 Revision: 25.08.2011

Trade name: WAKOL MS 230 Parquet Adhesive, Elastic

(Contd. of page 2)

· CAS No. Designation of material % Type Value Unit

· Additional Occupational Exposure Limit Values for possible hazards during processing:

67-56-1 methanol

WEL Short-term value: 333 mg/m³, 250 ppm Long-term value: 266 mg/m³, 200 ppm

Sk

· Additional information:

See Section 10.

The lists valid during the making were used as basis.

- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals.

 ${\it Keep \ away \ from \ foodstuffs, \ beverages \ and \ feed.}$

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended. After each cleaning use treatment creams, for very dry skin greasy ointments.

· Eye protection: Not required.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:

Pasty

Colour:

Cream coloured

· Smell:

Odourless

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 253°C

· Flash point:

Not applicable.

· Ignition temperature:

375°C

· Self-inflammability:

Product is not selfigniting.

· Danger of explosion:

Product does not present an explosion hazard.

· Density at 20°C

1.70 g/cm³ (EN ISO 2811-1)

· Solubility in / Miscibility with

Water:

Not miscible or difficult to mix.

· Viscosity:

dynamic at 20°C:

70000 mPas (ISO 2555)

· Solvent content:

Organic solvents:

0.0 %

Water:

0.0~%

(Contd. on page 4)

Printing date 25.08.2011

Version number 8

Revision: 25.08.2011

Trade name: WAKOL MS 230 Parquet Adhesive, Elastic

(Contd. of page 3)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions Reacts with strong acids and oxidizing agents.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.
- · Additional information: Product releases low quantities of methanol during appropriated application.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

12 Ecological information

- · Toxicity
- · Acquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.

(Contd. on page 5)

Printing date 25.08.2011 Version number 8 Revision: 25.08.2011

Trade name: WAKOL MS 230 Parquet Adhesive, Elastic

· European waste catalogue

(Contd. of page 4)

08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

08 04 00 wastes from MFSU of adhesives and sealants (including waterproofing products) 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· ADR, ADN, IMDG, IATA Void

· UN proper shipping name

· ADR, ADN, IMDG, IATA Void

· Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

· Packing group

· ADR, IMDG, IATA Void

· Environmental hazards:

· Marine pollutant: No

· Special precautions for user Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

• Transport/Additional information: Not dangerous according to the above specifications.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- · Other regulations, limitations and prohibitive regulations
- · GEV-Guidline/EMICODE: EC 1 R plus, "very low emission"
- · VOC:
- · VOC (EU) 0,0 g/l
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing data specification sheet: Industrial Safety Department.
- · Contact: Dr. Thomas Wieland

CP