



Building & DIY Products You Can Trust

Site 41, Knowsthorpe Way,

Cross Green Industrial Estate, Leeds, LS9 0SW

Telephone: +44 (0) 113 240 3456 Sales: +44 (0) 113 240 2424

Fax: +44 (0) 113 240 0024

e-mail: info@everbuild.co.uk

website: www.everbuild.co.uk

CONSTRUCTION PRODUCTS REGULATION

DECLARATION OF PERFORMANCE

No: P16PIPE/1-CPR/ 2013

1. Identification Code	Everbuild P16 Pipe Cement Codes: P16PIPE
2. Type, Batch and/or Serial Number	Batch number - see packaging label
3. Intended use	<i>PVC-U Adhesive for thermoplastic piping systems for fluids under pressure (up to 51.2bar) In Installations for the transport/disposal/storage of water not intended for human consumption</i>
4. Manufacturer	Everbuild Building Products Ltd, Site 41, Cross Green Industrial Estate, Knowsthorpe Way, Leeds, LS9 0SW U.K.
5. Authorised Representative	Not Applicable
6. Assessment and Verification of Constancy of Performance	System 4
7. Notified Body and Tasks	Not Applicable
8. European Technical Assessment	Not Applicable
9. Declared Performance	TO EN14680 and EN14614
Shear Strength at 1hr setting	≥ 0.25Mpa (EN14680)
Shear strength at 24 hr setting time	≥ 1.5Mpa (EN14680)
Shear strength at 480 hr setting time	≥ 3.0Mpa (EN14680)



Building & DIY Products You Can Trust

Site 41, Knowsthorpe Way,

Cross Green Industrial Estate, Leeds, LS9 0SW

Telephone: +44 (0) 113 240 3456 Sales: +44 (0) 113 240 2424

Fax: +44 (0) 113 240 0024

e-mail: info@everbuild.co.uk

website: www.everbuild.co.uk

Shear Strength at 1hr setting	≥ 0.4Mpa (EN14814)
Shear strength at 24 hr setting time	≥ 1.5Mpa (EN14814)
Shear strength at 480 hr setting time	≥ 7.0Mpa (EN14814)
Pressure resistance at (20+/- 2) at 51.2bar	≥ 1000hr no leakage (EN14814)
Pressure resistance at (40+/- 2) at 20.8 bar	≥ 1000hr no leakage (EN14814)

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9 . The declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed: I. G. Southerington - Technical Manager

Dated: Leeds, 1/7/2013