



SAFETY DATA SHEET
WOODFILLER HARDENER / CATALYST

Page 1
Issued: 15/2/10
Revision No: 3

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product name: WOODFILLER HARDENER / CATALYST
Product code: WOODHPCAT
Company name: EVERBUILD BUILDING PRODUCTS LTD
SITE 41, KNOWSTHORPE WAY
CROSS GREEN INDUSTRIAL ESTATE
LEEDS
WEST YORKSHIRE
LS9OSW
ENGLAND
Tel: 0044 113 240 3456
Fax: 0044 113 240 0024
Emergency tel: 0044 113 240 3456 (office hours only)
Email: pault@everbuild.co.uk

2. HAZARDS IDENTIFICATION

Classification under CHIP: May cause fire. Irritating to eyes. May cause sensitisation by skin contact.
Workplace exposure limit: This substance does not have a workplace exposure limit.
PBT: This substance is not identified as a PBT substance.
Directive 1999/45/EC: This mixture meets the criteria for classification as dangerous in accordance with Directive 1999/45/EC.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: DIBENZOYL PEROXIDE 30-50%
EINECS: 202-327-6 CAS: 94-36-0
[E] R3; [O] R7; [Xi] R36; [Sens.] R43

4. FIRST AID MEASURES

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Consult a doctor.
Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.
Ingestion: Wash out mouth with water. Consult a doctor.
Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.
Exposure hazards: In combustion emits toxic fumes.
Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

[cont...]

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust.

Environmental precautions: Do not discharge into drains or rivers.

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate method.

7. HANDLING AND STORAGE

Handling requirements: Avoid direct contact with the substance. Do not handle in a confined space. Ensure there is sufficient ventilation of the area.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition.

Suitable packaging: Must only be kept in original packaging.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Hazardous ingredients: DIBENZOYL PEROXIDE
UK - 8 hour TWA: 5 mg/m³

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Gas/vapour filter, type A: organic vapours (EN141). must be worn if vapour concentration is above OES or if ventilation is poor Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Paste

Colour: White

Odour: Pleasant

Evaporation rate: Moderate

Oxidising: Oxidising (by EC criteria)

Solubility in water: Slightly soluble

Also soluble in: Most organic solvents.

Viscosity: Viscous

Autoflammability°C: >380

Relative density: 1.14-1.17

pH: slightly acidic

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Heat.

Materials to avoid: Reducing agents. Acids. Bases. Metals.

Haz. decomp. products: In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION

Acute effects: Irritating to eyes.

Sensitisation: May cause sensitisation by skin contact.

11. TOXICOLOGICAL INFORMATION (SYMPTOMS)

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

12. ECOLOGICAL INFORMATION

Persistence and degradability: Biodegradable.

Bioaccumulative potential: No bioaccumulation potential.

Other adverse effects: Negligible ecotoxicity.

PBT identification: This substance is not identified as a PBT substance.

13. DISPOSAL CONSIDERATIONS

Disposal operations: Dispose of according to local or national legislation

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION**ADR / RID**

UN no: 3108

ADR Class: 5.2

Packing group: II

Classification code: P1

Shipping name: ORGANIC PEROXIDE, TYPE E, SOLID

Labelling: 5.2

**IMDG / IMO**

UN no: 3108

Class: 5.2

Packing group: II

EmS: 5.2-01

SAFETY DATA SHEET
WOODFILLER HARDENER / CATALYST**Marine pollutant:** NO**Labelling:** 5.2**IATA / ICAO****UN no:** 3108**Class:** 5.2**Packing group:** II**Packing instructions:** 510(P&CA); 513(PAO)**Labelling:** 5.2**15. REGULATORY INFORMATION (CHIP)****Hazard symbols:** Irritant.

Oxidising.

**Risk phrases:** R7: May cause fire.

R36: Irritating to eyes.

R43: May cause sensitisation by skin contact.

Safety phrases: S2: Keep out of the reach of children.

S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.

S17: Keep away from combustible material.

S24/25: Avoid contact with skin and eyes.

S46: If swallowed, seek medical advice immediately and show this container or label.

Haz. ingredients (label): DIBENZOYL PEROXIDE**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.**16. OTHER INFORMATION****Other information:** This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

* indicates text in the SDS which has changed since the last revision.

Risk phrases used in s.3: R3: Extreme risk of explosion by shock, friction, fire or other sources of ignition.

R7: May cause fire.

R36: Irritating to eyes.

R43: May cause sensitisation by skin contact.

Legal disclaimer: The above information is believed to be correct but does not purport to be all

SAFETY DATA SHEET
WOODFILLER HARDENER / CATALYST

inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.